





*50mm only, when laid on a suitably prepared base

Stradapave[®] is a popular concrete paver that is available in multiple natural colours to suit any home environment. Easy to lay, they are the ideal solution for paving patios, paths, entertaining areas and steps.



COLOUR OPTIONS



Due to natural variations in aggregates, colour tones may vary from batch to batch.

Whilst these swatches provide a good indication of the products colour, you should always sight product samples before use.



AVAILABLE SIZES










TECHNICAL INFORMATION

Range	Size (mm) L x D x H	No. per m ²	Slip Resistance rating	No. per pallet	Colours
Stradapave® 40	300 x 300 x 40	6.25		192	Oatmeal Sunstone Terracotta Mocha Charcoal
Stradapave® 50	300 x 300 x 50	2.50 L/m	P5 Very low risk of slipping	192	
Stradapave® Bullnose 50	300 x 300 x 50	3.30 L/m	on surface when wet	192	


FOUNDATION OPTIONS AND GENERAL INSTALL GUIDE

FLEXIBLE INSTALLATION - ROADBASE & SAND



RIGID INSTALLATION - CONCRETE BASE

Concrete (min. 75mm)



NOTE: Always seek advice and designs from a qualified engineer when building a wall which exceeds the stated maximum unreinforced gravity heights and where soil conditions or load pressures are unknown.

BRICKS	BESSER® BLOCKS	I	PAVERS	Ι	RETAINING WALLS
AdbriMasonryAus 1300 365 565 www. ABN: 31 009 687 521 ISSUE DATE: 10/2017	$\bigcirc \bigcirc$			ad	bri MASONRY working together